

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A-PTO		Complete If Known	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT SEP 12 2005 (Use as many sheets as necessary)		Application No.	10/649,473
		Filing Date	August 28, 2003
		First Named Inventor	KLINGENSMITH
		Art Unit	2624
		Examiner Name	Not yet assigned <i>S. Chawan</i>
Attorney Docket No.	895,675-173		

U.S. PATENT DOCUMENTS					
Examiner Initials*	Cite No. ¹	Document No. Number-Kind Code ^{2,3} (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
/SCC/	1.	6,106,465	08/22/2000	Napolitano	
↓	2.	6,120,445	09/19/2000	Grunwald	
	3.	6,381,350	04/30/2002	Klingensmith	

SB 12-28-07 FOREIGN PATENTS					
Examiner Initials	Cite No. ¹	Foreign Patent Document Country Code ³ Number ⁴ Kind Code ⁵ (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
/SCC/	4.	0 633 548 EPX	11/19/95	Lobregt	

NON PATENT LITERATURE DOCUMENTS					
Examiner Initials	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s) volume-issue number(s), publisher, city and/or country where published			T ²
/SCC/	5.	BRUINING, N., VON BIRGELEN, C., DE FEYTER, P., LIGTHART, J., SERRUYS, P., ROELANDT, J., "Dynamic Imaging of Coronary Stent Structures: An ECG-Gated Three-Dimensional Intracoronary Ultrasound Study in Humans", Ultrasound in Medicine and Biology, 1998, pp. 631-637, Vol. 24, No. 5, Elsevier, New York, U.S.A.			
↓	6.	IWASE, M., KONDO, T., HASEGAWA, K., KIMURA, M., MATSUYAMA, H., WATANABE, Y., HISHIDA, H., "Three-Dimensional Echocardiography by Semi-Automatic Border Detection in Assessment of Left Ventricular Volume and Ejection Fraction: Comparison with Magnetic Resonance Imaging", Journal of Cardiology, 1997, pp. 97-105, Vol. 30, No. 2, Japanese College of Cardiology, Tokyo, Japan			
	7.	KLINGENSMITH, J., VINCE, D., KUBAN, B., SHEKHAR, R., TUZCU, E., NISSEN, S., CORNHILL, J., "Assessment of Coronary Compensatory Enlargement by Three-Dimensional Intravascular Ultrasound", International Journal of Cardiac Imaging, 2000, pp. 87-98, Vol. 16, No. 2, Nijhoff, Boston, U.S.A.			
	8.	KLINGENSMITH, J., SHEKHAR, R., VINCE, D., "Evaluation of Three-Dimensional Segmentation Algorithms for the Identification of Luminal and Medial-Adventitial Borders in Intravascular Ultrasound Images", IEEE Transactions on Medical Imaging, 2000, pp. 996-1011, Vol. 19, No. 10, Institute of Electrical and Electronics Engineers, New York, U.S.A.			
	9.	LOBREGT, S., VIERGEVER, M., "A Discrete Dynamic Contour Model", IEEE Transactions on Medical Imaging, 1995, pp. 12-24, Vol. 14, No. 1, Institute of Electrical and Electronics Engineers, New York, U.S.A.			

NBI:662756. Examiner Signature	/Sheela Chawan/	Date Considered	06/11/2007
<p>*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 809. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinda Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language translation is attached.</p> <p>This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.</p>			
			PTO/SB-08a (08-03) American LegalNet Inc. www.USCourtForms.com